Drop in anchor with internal thread for heavy loads

HE-NO Zinc-plated

Material for use:

SOLID



Concrete



Reinforced concrete

Stone

Product Material / Covering:

Zinc-plated

PROFESSIONAL BOX

CODE	DIMENSIONS			EAN	PRICE
HENOM06	M6 x 25 Ø8	100 pcs.	4000 pcs.	8423533039606	**12,680**
HENOM08	M8 x 30 Ø10	100 pcs.	2200 pcs.	8423533039705	**17,510**
HENOM10	M10 x 40 Ø12	50 pcs.	1000 pcs.	8423533039804	**29,283**
HENOM12	M12 x 50 Ø15	50 pcs.	600 pcs.	8423533039903	**53,833**
HENOM16	M16 x 65 Ø20	25 pcs.	250 pcs.	8423533040008	**135,663**
HENOM20	M20 x 80 Ø25	25 pcs.	100 pcs.	8423533040107	**281,033**

BLISTER

CODE	DIMENSIONS	QUANTITY	BAGS	EAN	QUANTITY	EAN	PRICE
BZHENOM06	M6 x 25 Ø8	80 pcs.	20 bags	8423533429759	4pcs.	8423533422101	**3,136**
BZHENOM08	M8 x 30 Ø10	80 pcs.	20 bags	8423533429766	4pcs.	8423533422118	**3,136**
BZHENOM10	M10 x 40 Ø12	30 pcs.	15 bags	8423533429773	2pcs.	8423533422125	**3,136**

WINDOW BOX

CODE	DIMENSIONS	QUANTITY	BAGS	EAN	QUANTITY	EAN	PRICE
VHENOM06	M6 x 25 Ø8	120 pcs.	8 bags	8423533053268	15pcs.	8423533754059	**2,905**
VHENOM08	M8 x 30 Ø10	120 pcs.	8 bags	8423533053329	15pcs.	8423533754066	**3,547**

FREE SERVICE

CODE	DIMENSIONS	QUANTITY	BAGS	EAN	QUANTITY	EAN	PRICE
LSHENOM06	M6 x 25 Ø8	210 pcs.	7 bags	8423533407191	30pcs.	8423533761002	**4,823**
LSHENOM08	M8 x 30 Ø10	210 pcs.	7 bags	8423533407207	30pcs.	8423533761019	**6,383**
LSHENOM10	M10 x 40 Ø12	112 pcs.	7 bags	8423533407214	16pcs.	8423533761026	**6,130**

TECHNICAL INFORMATION



CODE	DIMENSIONS	Drill	Ø element to fix	Hole depth min.	Min. substrate thickness	Min. anchor depth	Effective depth	Torque	Min. distance to edge	Min. distance from axis	Tension load non-cracked concrete	Shear load non-cracked concrete
HENOM06	M6 x 25 Ø8	8	7	27	100	25	25	4	105	60	175	306
HENOM08	M8 x 30 Ø10	10	9	33	100	30	30	11	105	90	230	402
HENOM10	M10 x 40 Ø12	12	12	43	100	40	40	17	140	80	354	530
HENOM12	M12 x 50 Ø15	15	14	54	100	50	50	38	175	100	494	865
HENOM16	M16 x 65 Ø20	20	18	70	130	65	65	60	230	130	733	1893
HENOM20	M20 x 80 Ø25	25	22	86	160	80	80	100	280	160	1000	2767
BZHENOM06	M6 x 25 Ø8	8	7	27	100	25	25	4	105	60	175	306
BZHENOM08	M8 x 30 Ø10	10	9	33	100	30	30	11	105	90	230	402

BZHENOM10 M10 x 40 Ø12	12	12	43	100	40	40	17	140	80	354	530
VHENOM06 M6 x 25 Ø8	8	7	27	100	25	25	4	105	60	175	306
VHENOM08 M8 x 30 Ø10	10	9	33	100	30	30	11	105	90	230	402
LSHENOM06 M6 x 25 Ø8	8	7	27	100	25	25	4	105	60	175	306
LSHENOM08 M8 x 30 Ø10	10	9	33	100	30	30	11	105	90	230	402
LSHENOM10 M10 x 40 Ø12	12	12	43	100	40	40	17	140	80	354	530

CHARACTERISTICS

Zinc-plated

Heavy loads

RECOMMENDED FOR

Air conditioning

Ceiling anchor

Beach handrails

Tent/Marquee

Industrial shelving

Streetlight

Balcony handrail

Wooden guardrail

TECHNICAL DOCUMENTATION

DATA SHEET
https://www.indexfix.com/docs/ft-he-en.pdf

*The data shown in this table are merely informative and do not constitute, in any case, contractual conditions of supply. The references contained in our catalog will be available until end of stock.
Our prices do not included value added tax. This will be taxed according to current legislation for local and international transactions.