



Nylon plug

TACON

Material for use:

MULTI-MATERIAL



Concrete



Hollow concrete



Aerated concrete



Solid brick



Adobe Brick



Hollow brick



Stone

Product Material / Covering:

Nylon

PROFESSIONAL BOX


CODE	DIMENSIONS			EAN	PRICE
TACON04	4 x 20 Ø4	100 pcs.	8000 pcs.	400	8423533990006 2,240
TACON05	5 x 25 Ø5	100 pcs.	8000 pcs.	400	8423533990105 1,617
TACON06	6 x 30 Ø6	100 pcs.	9000 pcs.	400	8423533990204 1,660
TACON07	7 x 30 Ø7	100 pcs.	5000 pcs.	400	8423533990303 3,467
TACON08	8 x 40 Ø8	100 pcs.	5000 pcs.	400	8423533990402 3,270
TACON10	10 x 50 Ø10	50 pcs.	2500 pcs.	200	8423533990501 5,510
TACON12	12 x 60 Ø12	25 pcs.	1250 pcs.	100	8423533990600 10,100
TACON14	14 x 70 Ø14	20 pcs.	1000 pcs.	80	8423533990709 16,327
TACON16	16 x 80 Ø16	10 pcs.	500 pcs.	40	8423533990808 92,553

BLISTER



CODE	DIMENSIONS	QUANTITY	BAGS	MOQ	EAN	QUANTITY	EAN	PRICE
BZTACON04	4 x 20 Ø4	375 pcs.	15 bags	-	8423533430045	25pcs.	8423533422392	1,803
BZTACON05	5 x 25 Ø5	375 pcs.	15 bags	-	8423533430052	25pcs.	8423533422408	1,803
BZTACON06	6 x 30 Ø6	375 pcs.	15 bags	-	8423533430069	25pcs.	8423533422415	1,803
BZTACON08	8 x 40 Ø8	150 pcs.	10 bags	-	8423533430076	15pcs.	8423533422422	1,803
BZTACON10	10 x 50 Ø10	100 pcs.	10 bags	-	8423533430083	10pcs.	8423533422439	1,803
BZTACON12	12 x 60 Ø12	50 pcs.	10 bags	-	8423533430090	5pcs.	8423533422446	1,803

TECHNICAL INFORMATION



CODE	DIMENSIONS	Drill	Hole depth min.	Min. substrate thickness	Min. anchor depth	Tension load non-cracked concrete	Tension load solid brick	Screw size
TACON04	4 x 20 Ø4	4	25	30	20	6	4	TPPO 2,5-3
TACON05	5 x 25 Ø5	5	35	40	25	7	5	TPPO 2,5-4
TACON06	6 x 30 Ø6	6	40	45	30	10	5	TPPO 3,5-4
TACON07	7 x 30 Ø7	7	40	45	30	11	6	TPPO 4-4,5
TACON08	8 x 40 Ø8	8	50	55	40	12	11	TPPO 4,5 , TB 5-6
TACON10	10 x 50 Ø10	10	65	70	50	61	16	TB 6-8
TACON12	12 x 60 Ø12	12	75	80	60	76	28	TB 8-10
TACON14	14 x 70 Ø14	14	90	95	70	167	88	TB 10-12
TACON16	16 x 80 Ø16	16	95	100	80	240	100	TB 12-14
BZTACON04	4 x 20 Ø4	4	25	30	20	7	4	TPPO 2,5-3
BZTACON05	5 x 25 Ø5	5	35	40	25	9	5	TPPO 2,5-4
BZTACON06	6 x 30 Ø6	6	40	45	30	14	5	TPPO 3,5-4
BZTACON08	8 x 40 Ø8	8	50	55	40	31	11	TPPO 4,5 , TB 5-6
BZTACON10	10 x 50 Ø10	10	65	70	50	45	16	TB 6-8
BZTACON12	12 x 60 Ø12	12	75	80	60	78	28	TB 8-10

CHARACTERISTICS



Nylon




Light loads

RECOMMENDED FOR




Clamp



Support clamp




tube clamp



Air conditioning



Ceiling anchor



Trellis anchor



Shelving anchor



Fire extinguisher anchor

TECHNICAL DOCUMENTATION



DATA SHEET

<https://www.indexfix.com/docs/ft-taco-en.pdf>

*The data shown in this table are merely informative and do not constitute, in any case, contractual conditions of supply. The references contained in our catalog will be available until end of stock. Our prices do not included value added tax. This will be taxed according to current legislation for local and international transactions.