

# DECLARATION OF PERFORMANCE



Volgens Construction Products Regulation: (EU) No. 305/2011

**Nr. ASF 201300045**

**EN 14592 13 1015**

1. Unieke identificatiecode van het producttype:	DIN 601/555 zeskantbout met moer, staal verzinkt
2. Type-, partij- of serienummer, dan wel een ander identificatiemiddel voor het bouwproduct, zoals voorgeschreven in artikel 11, lid 4:	Batchnummer: zie etiket verpakking
3. Beoogde gebruiken van het bouwproduct, overeenkomstig de toepasselijke geharmoniseerde technische specificatie, zoals door de fabrikant bepaald:	Mechanische bevestiging voor houtconstructies.
4. Naam, geregistreeerde handelsnaam of geregistreerd handelsmerk en contactadres van de fabrikant, zoals voorgeschreven in artikel 11, lid 5:	A.S.F. Fischer BV Zilverstraat 1 8211 AN Lelystad Nederland
5. Indien van toepassing, naam en contactadres van de gemachtigde wiens mandaat de in artikel 12, lid 2, vermelde taken bestrijkt.	Niet relevant
6. Het systeem of de systemen voor de beoordeling en verificatie van de prestatiebestendigheid van het bouwproduct, vermeld in bijlage V:	System 3
7. Indien de prestatieverklaring betrekking heeft op een bouwproduct dat onder een geharmoniseerde norm (hEn) valt:	EN 14592:2008+A1:2012, Tab. ZA.1
8. Indien de prestatieverklaring betrekking heeft op een bouwproduct waarvoor een Europese technische beoordeling (ETA) is afgegeven:	Niet relevant (zie 7)

AS.F **FISCHER** BY **PARTNER IN FASTENERS**

# DECLARATION OF PERFORMANCE



Volgens Construction Products Regulation: (EU) No. 305/2011

**Nr. ASF 201300045**

**EN 14592 13 1015**

<b>9. Aangegeven prestatie</b>	DIN 601/555 zeskantbout met moer								
<b>Essentiële kenmerken</b>	<b>M8</b>	<b>M10</b>	<b>M12</b>	<b>M14</b>	<b>M16</b>	<b>M18</b>	<b>M20</b>	<b>M24</b>	<b>Geharmoniseerde technische specificaties</b>
Characteristic yield moment bolt Class 4.8 in Nmm	31157	57195	79119	90332	112637	179290	139275	178593	EN 14592:2008+A1:2012, Tab. ZA.1
Characteristic tensile capacity nut					Grade 5				
Corrosion protection Eurocode 5					Pass				EN 1995-1-1

10. De prestaties van het in de punten 1 en 2 omschreven product zijn conform de in punt 9 aangegeven prestaties.  
De prestatieverklaring wordt verstrekt onder de exclusieve verantwoordelijkheid van de in punt 4 vermelde fabrikant.

Ondertekend voor en namens de fabrikant door:

**Arnoud Booij**  
Algemeen directeur

Lelystad, 01-08-2014

**Legal note:** This information is given in good faith based on A.S.F. Fischer's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with A.S.F. Fischer's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test product's suitability for the intended application and purpose. A.S.F. Fischer reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current items of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

A.S.F. FISCHER BY PARTNER IN FASTENERS

Postbus 98 | 8200 AB Lelystad | Tel. (0320) 28 55 44 | verkoop (0320) 28 56 10 | info@asf-fischer.nl | www.asf-fischer.nl  
Zilverstraat 1 | 8211 AN Lelystad | Nederland | Fax (0320) 23 38 56 | verkoop (0320) 24 26 33 | KvK Lelystad 39063428 | BTW 8055.49.948.B01



# DECLARATION OF PERFORMANCE



According to Construction Products Regulation: (EU) No. 305/2011

**Nr. ASF 201300045**

**EN 14592 13 1015**

<b>1. Unique identification code of the product-type:</b>	<i>DIN 601/555 hexagon head bolts with nuts, steel zinc plated</i>
<b>2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):</b>	<i>Batch: see product label</i>
<b>3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:</b>	<i>Bolts and nuts for structural timber products.</i>
<b>4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):</b>	<i>A.S.F. Fischer BV Zilverstraat 1 8211 AN Lelystad The Netherlands</i>
<b>5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):</b>	<i>Not relevant</i>
<b>6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:</b>	<i>System 3</i>
<b>7. In case of the declaration of performance concerning a construction product covered by a harmonised standard:</b>	<i>EN 14592:2008+A1:2012, Tab. ZA.1</i>
<b>8. In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:</b>	<i>Not relevant (see 7)</i>

A.S.F. **FISCHER BV** PARTNER IN FASTENERS

# DECLARATION OF PERFORMANCE



According to Construction Products Regulation: (EU) No. 305/2011

**Nr. ASF 201300045**

**EN 14592 13 1015**

<b>9. Declared performance</b>	DIN 601/555 hexagon head bolts with nuts, steel zinc plated								
<b>Essential characteristics</b>	<b>M8</b>	<b>M10</b>	<b>M12</b>	<b>M14</b>	<b>M16</b>	<b>M18</b>	<b>M20</b>	<b>M24</b>	<b>Harmonised technical specification</b>
Characteristic yield moment bolt Class 4.8 in Nmm	31157	57195	79119	90332	112637	179290	139275	178593	EN 14592:2008+A1:2012, Tab. ZA.1  EN 1995-1-1
Characteristic tensile capacity nut	Grade 5								
Corrosion protection Eurocode 5	Pass								

**10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.**

**This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.**

**Signed for and on behalf of the manufacturer by:**

**Arnoud Booij**  
Algemeen directeur  
Lelystad, 01-08-2014

**Legal note:** This information is given in good faith based on A.S.F. Fischer's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with A.S.F. Fischer's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test product's suitability for the intended application and purpose. A.S.F. Fischer reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

A.S.F. **FISCHER BY PARTNER IN FASTENERS**

Postbus 98 | 8200 AB Lelystad | Tel. (0320) 28 55 44 | verkoop (0320) 28 56 10 | info@asf-fischer.nl | www.asf-fischer.nl  
Zilverstraat 1 | 8211 AN Lelystad | Nederland | Fax (0320) 23 38 56 | verkoop (0320) 24 26 33 | KvK Lelystad 39063428 | BTW 8055.49.948.B01



# DECLARATION OF PERFORMANCE



Gemäß Anhang III der EU-Verordnung Nr. 305/2011

**Nr. ASF 201300045**

**EN 14592 13 1015**

<b>1. Eindeutiger Kenncode des Produkttyps:</b>	<i>DIN 601/555 Sechskantschrauben mit Mutter, Stahl verzinkt</i>
<b>2. Typen-, Chargen- oder Seriennummer oder ein anderes Kennzeichen zur Identifikation des Bauprodukts gemäss Artikel 11, Absatz 4:</b>	<i>Chargennummer: siehe Verpackung</i>
<b>3. Vom Hersteller vorgesehener Verwendungszweck oder vorgesehene Verwendungszwecke des Bauprodukts gemäss der anwendbaren harmonisierten technischen Spezifikation:</b>	<i>Verbindungsmittel für tragende Holzbauwerke .</i>
<b>4. Name, eingetragener Handelsname oder eingetragene Marke und Kontaktanschrift des Herstellers gemäss Artikel 11, Absatz 5:</b>	<i>A.S.F. Fischer BV Zilverstraat 1 8211 AN Lelystad Niederlande</i>
<b>5. Gegebenenfalls Name und Kontaktanschrift des Bevollmächtigten, der mit den Aufgaben gemäss Artikel 12, Absatz 2 beauftragt ist:</b>	<i>Nicht relevant</i>
<b>6. System oder Systeme zur Bewertung und Überprüfung der Leistungsbeständigkeit des Bauprodukts gemäss Anhang V:</b>	<i>System 3</i>
<b>7. Im Falle der Leistungserklärung, die ein Bauprodukt betrifft, das von einer harmonisierten Norm (hEn) erfasst wird:</b>	<i>EN 14592:2008+A1:2012, Tab. ZA.1</i>
<b>8. Im Falle der Leistungserklärung, die ein Bauprodukt betrifft, für das eine Europäische Technische Bewertung (ETA) ausgestellt worden ist:</b>	<i>Nicht relevant (Siehe 7)</i>

A.S.F. **FISCHER BY** PARTNER IN FASTENERS


# DECLARATION OF PERFORMANCE



Gemäß Anhang III der EU-Verordnung Nr. 305/2011

**Nr. ASF 201300045**

**EN 14592 13 1015**

<b>9. Erklärte Leistung</b>	DIN 601/555 Sechskantschrauben mit Mutter, Stahl verzinkt								
<b>Wesentliche Merkmale</b>	<b>M8</b>	<b>M10</b>	<b>M12</b>	<b>M14</b>	<b>M16</b>	<b>M18</b>	<b>M20</b>	<b>M24</b>	<b>Harmonisierte technische Spezifikation</b>
Characteristic yield moment bolt Class 4.8 in Nmm	31157	57195	79119	90332	112637	179290	139275	178593	EN 14592:2008+A1:2012, Tab. ZA.1
Characteristic tensile capacity nut	Grade 5								
Corrosion protection Eurocode 5	Pass								EN 1995-1-1
<p><b>10. Die Leistung des Produkts gemäss den Nummern 1 und 2 entspricht der erklärten Leistung nach Nummer 9. Verantwortlich für die Erstellung dieser Leistungserklärung ist allein der Hersteller gemäss Nummer 4.</b></p> <p><b>Unterzeichnet für den Hersteller und in Namen des Herstellers von:</b></p>  <p><b>Arnoud Booij</b> Geschäftsführer</p> <p>Lelystad, 01-08-2014</p>									

**Legal note:** This information is given in good faith based on A.S.F. Fischer's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with A.S.F. Fischer's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test product's suitability for the intended application and purpose. A.S.F. Fischer reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current items of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.

A.S.F. FISCHER BY PARTNER IN FASTENERS

Postbus 98 | 8200 AB Lelystad | Tel. (0320) 28 55 44 | verkoop (0320) 28 56 10 | info@asf-fischer.nl | www.asf-fischer.nl  
Zilverstraat 1 | 8211 AN Lelystad | Nederland | Fax (0320) 23 38 56 | verkoop (0320) 24 26 33 | KvK Lelystad 39063428 | BTW 8055.49.948.B01